

# LED UFO HIGH BAY Spec

5 years  
warranty


150 LM/W

IP65




# Product Description

- Sosen LED Driver
- Super bright LM80 LED 2835 SMD, CRI>70
- Lumen output: 150LM/M
- PF> 0.9 , THD<20%
- 120-277Vac , 1-10V dimmable
- High quality glass lens Non-flicker, protect your eyes
- 5-7 days fast delivery once confirmed
- IP65
- 5 years warranty




## Dimensions



100W	Ø 10.24*6.26 inch
150W/200W	Ø 10.24*6.85 inch
240W	Ø 12.60*6.73 inch
300W	Ø 12.60*7.80 inch

## Structures




## Accessories (optional)

Sensor	
Emergency driver	
120° Reflector	

## Parameter

### UFO High Bay Series



Model No.	Watts(W)	Input Voltage	Lumen	Size (Inch )	N.W (lbs)
USA-HBJL-100W-BBNL[DM,SD,DE,SE]	100	120-277 VaC	150LM/W	Ø 10.24*6.26	4.29
USA-HBJL-150W-BBNL[DM,SD,DE,SE]	150			Ø 10.24*6.85	4.40
USA-HBJL-200W-BBNL[DM,SD,DE,SE]	200			Ø 10.24*6.85	4.40
USA-HBJL-240W-BBNL[DM,SD,DE,SE]	240			Ø 12.60*6.73	6.34
USA-HBJL-300W-BBQL[DM,SD,DE,SE]	300			Ø 12.60*7.80	9.85

PS:			
DM	Dimming function	SD	Sensing+Dimming function
DE	Emergency+Dimming function	SE	Sensing+Emergency+Dimming function

BB=40 (4000K),50 (5000K), 57 (5700K)

### Packing Details

Model No.	Watts(W)	N. W (lbs)	Carton Size (Inch )	QTY/ctn (pcs)	G. W (lbs)	Qty loaded by 20GP	Qty loaded by 40GP	Qty loaded by 40HQ
HBJL-100W	100	4.29 lbs	10.63*10.63*7.09	1	6.94 lbs	2016 pcs	4032 pcs	4707 pcs
HBJL-150W	150	4.40 lbs	10.63*10.63*7.68	1	7.05 lbs	1848 pcs	3696 pcs	4368 pcs
HBJL-200W	200	4.40 lbs	10.63*10.63*7.68	1	7.05 lbs	1848 pcs	3696 pcs	4368 pcs
HBJL-240W	240	6.34 lbs	12.99*12.99*7.28	1	8.99 lbs	1224 pcs	2520 pcs	2730 pcs
HBJL-300W	300	9.85 lbs	12.99*11.81*8.27	1	11.9 lbs	1190 pcs	2450 pcs	2940 pcs