


Specifications


Model#	WSL-PNLR-4in-6w
Description	4" LED Round Panel light
Power	6W
Voltage Input	120Vac
Lumen output	500lm
Color Temperature	3000K,4000K,5000K
CRI	>80
Operating Temp.	-20°C~ 40°C
IP Rating	IP20
Certificates	ETL/cETL , Energy Star
Warranty	3 years Limited Warranty
L70 life span	>50000Hrs
Beam Angle	120Degree
Dimmable	Yes(Triac)
Dimension	φ 135mm x H 13mm(φ 5.3" x H 0.5")



Order Information


Item Number	Description	Power	Voltage Input	Dimmable	CCT	Lumen Output	Certificates
WSL-PNLR-4in-6w	4" LED Round Panel light	6W	120Vac	Yes(Triac)	3000k 4000K 5000k	500lm	ETL/cETL Energy Star

Lux Chart




Height	Average Lux (lx)	Light range (dia.)
1M	27.96	285.3cm
2M	10.39	468.0cm
3M	4.62	702.0cm
4M	2.60	936.0cm
6M	1.62	1170.0cm


Photometrics



Product Size



Installation




J-BOX Mount

4'' Retrofit


Packaging

60pcs/CTN Dimension: 385mm*296mm*498mm




498mm


Container Loading QTY



Size	Corton QTY	Product QTY	Volumn
40'hq	2184 ctn	131040 pcs	65.05m ³



Size	Corton QTY	Product QTY	Volumn
40'gp	1911 ctn	114660 pcs	56.92m ³



Size	Corton QTY	Product QTY	Volumn
20'gp	931 ctn	55860 pcs	27.73m ³